Author Index of Volume B1

Ackelid, U., 15
Aït Allal, M., 385
Alberti, G., 121
Amamoto, T., 226
Amemiya, I., 341
Andersson, R. G. G., 533
Arai, H., 154
Arai, T., 488
Arnaldi, G., 373
Arwin, H., 134
Asada, A., 312
Averyanov, Y. L., 390

Baltes, H. P., 441, 561
Barrett, E.P.S., 116
Barthélémy, R., 481
Battilotti, M., 438
Batzel, D. A., 138
Berg, P., 508
Bergveld, P., 350, 368, 416, 546
Blanc, J. P., 130
Blum, L. J., 580
Bomer, J. G., 416
Bos, J., 495
Bousse, L., 361, 555
Bratov, A., 357
Brown, R. B., 281
Buttner, W. J., 303

Callewaert, L., 298
Cambiaso, A., 373
Chandler, G. K., 433
Charbon, E., 441
Chauveau, N., 481
Cheng Keming, 514
Chenglie Cui, 421
Cheung, P. W., 421
Chu, W. F., 103
Claes, A., 298
Clechet, P., 380
Colbow, K., 62
Consadori, F., 62
Corcoran, P., 256
Coulet, P. R., 580
Cui Li, 514
Cullen, D. C., 576

Danielsson, B., 523
Daroux, M. L., 565
Deacon, J. K., 589
De Angelis, L., 121
Dekeyser, Ja., 446
Delmon, B., 222
Demarne, V., 87, 176
Depeursinge, C., 485
de Rooij, N. F., 171, 345, 380, 395, 425, 481
Derouiche, N., 130
de Schutter, F., 446
de Wachter, D., 298
Dobos, K., 25
Dodgson, J. R., 433
Dong-Han Choi, 231
Drobe, H., 508
Duk-Dong Lee, 231
Dura, H.-G., 25

Eddowes, M. J., 433
Egashira, M., 108
Eguchi, K., 154
Eijking, E., 495
Eisele, I., 21
El Hadri, A., 130
Elwing, H., 533
Enquist, F., 31
Ensell, G., 460
Ewald, D., 335

Findlay, M. W., 43
Fischer, D., 103
Flanagan, M. T., 589
Flygare, L., 523
Fogt, E., 267
Fryberger, T. B., 97
Fujioka, T., 319
Fukui, K., 203
Fukunishi, K., 473

Gardner, J. W., 166, 256
Gautier, S. M., 580
Georgiades, G. C., 116
Germain, J. P., 130
Geun Sig Cha, 281
Giannini, I., 438
Gimmel, P., 345
Giongo, M., 438
Glatz, R., 272
Goi, N., 499
Goiser, P., 468
Göpel, W., 43, 93, 103, 148, 171, 188, 345, 571
Graber, N., 239, 244
Grattarola, M., 373, 401
Greve, J., 368
Grisel, A., 87, 176, 335, 395, 425, 485
Groppelli, S., 79
Grundström, N., 533
Gumbrecht, W., 477, 495
Gustafsson, A., 533
Gutman, E. Ye., 210

Hafeman, D., 361
Hamann, C., 142
Hara, M., 504
Harada, T., 125
Härdtl, K. H., 54
Harke, S., 188
Harkoma-Mattila, A., 83
Harrison, D. J., 275, 561
Haruta, M., 222
Hashiguchi, T., 154
Hemmerich, B., 261
Higashi, K., 412
Hiiro, K., 412
Hirakuni, S., 510
Hoffmann, B., 408
Hornik, W., 35
Hosticka, B. J., 58
Huijsing, J. H., 491

Igarashi, I., 8
Iida, H., 510
Ikegami, K., 528
Inagaki, H., 8
Ito, N., 488
Ito, T., 8

Jachimowicz, A., 272, 468, 518
Jaffrezic-Renault, N., 380
Jobst, G., 518
Jones, T. A., 148

Kampfrath, G., 142
Karlsson, J. O. G., 533
Kasahara, T., 499
Kato, H., 308
Katoh, M., 504
Katsube, T., 504
Katsura, M., 341
Kayashima, S., 488
Keldermans, C. E. J. M., 368
Kelley, J., 267
Kenney, M. E., 138
Keplinger, F., 272
Kikuchi, M., 488
Kimura, J., 488

© Elsevier Sequoia/Printed in The Netherlands

Kimura, S., 68
Kirk, G., 555
Kirner, U., 103
Klein, M., 354
Kloeck, B., 171
Ko, W. H., 138, 183
Kobayashi, T., 222
Kohl, D., 158
Kohl, F., 272, 468
Kojima, N., 528
Komiya, H., 68
Kooyman, R. P. H., 368
Kösslinger, C., 508
Kowalkowski, R., 93
Kreider, K. G., 293
Kreuer, K.-D., 286
Kuriyama, T., 488
Kusanagi, S., 319
Kuwano, Y., 215

Lachmann, B., 495
Lambrechts, M., 298
Lammert, R., 537, 571
Lando, J. B., 138
Lantto, V., 73, 79
Lehn, C., 542
Leibold, B., 103
Leong, K. H., 460
Leppävuori, S., 73, 79, 83
Lévy, F., 87, 176
Li, X., 275
Liu Luna, 514
Löffler, U., 571
Lorenz, H., 21
Lowe, C. R., 550, 576
Lund, J., 267
Lüdi, H., 239
Lukaszewicz, J. P., 195
Lukosz, W., 585, 592
Lundström, I., 15, 134, 533
Luo, J., 416
Luyten, J., 446

Maclay, G. J., 43, 58, 303
Madou, M., 319
Maeda, M., 215
Maekawa, H., 504
Maimone, A., 121
Maleysson, C., 130
Mann-Buxbaum, E., 518
Manz, A., 244, 249
Mårtensson, J., 134
Martinoia, S., 373
Maruhashi, S., 203
Massobrio, G., 373, 401
Mattioli, G., 401
Matsuki, T., 308
Matsuura, S., 226
Mattioli, F., Jr., 401
Matuura, Y., 218
Mazzamurro, G., 438
Mercuri, R., 438
Mesentsev, Yu. A., 390
Miura, J., 249
Miura, N., 125, 195
Miyagi, H., 249
Miyahara, Y., 249
Miyamoto, S., 488
Mochizucki, A., 510
Modica, L., 121
Mokwa, W., 25
Mondin, G., 485
Montag, B., 477, 495
Moon, P. K., 199
Morcos, J., 385
Moriizumi, T., 473
Morucci, J. P., 481
Moseley, P. T., 113
Mueller, M., 142
Müller, E., 508
Müller, R., 421
Murai, R., 218
Myasnikov, I. A., 210

Näbauer, A., 508
Nagata, N., 488
Najafi, K., 453, 464
Nakamoto, T., 473
Nakazawa, M., 312
Nauer, G. E., 468
Nellen, Ph. M., 585, 592
Nelli, P., 79
Neuburger, G. G., 326
Nicoloso, N., 103
Niessner, R., 261
Norenberg, M. S., 267

Ödman, S., 533
Ogbomo, I., 542
Okimura, T., 203
Olcaytug, F., 272, 518
Olthuis, W., 416
Osanai, H., 312
Otagawa, T., 319
Oyabu, T., 218

Padmadinata, F. Z., 491
Palombari, R., 121
Panne, U., 261
Parameswaran, M., 441
Perrot, H., 380
Peschke, M., 21
Petrović, S., 275
Pfeiffer, U., 477
Pickard, R. S., 460
Pifl, C., 468
Pittner, F., 518
Portier, J., 385
Prinzing, U., 542
Prohaska, O. J., 272, 565

Rajotte, R. V., 561
Rasinski, M., 477
Rich-Alexander, J., 319
Riegel, J., 54
Riess, H., 21
Robert, H., 130
Robinson, A. M., 441
Romppainen, P., 73, 79
Rouiller, D., 485
Ruge, I., 508

Sadaoka, Y., 148
Saito, A., 488
Sakai, T., 341
Salardenne, J., 385
Sanjines, R., 87, 176
Sano, H., 222
Sansen, W., 298
Sato, K., 249
Satoh, I., 499
Sauer, Th., 408
Sberveglieri, G., 79
Schalkhammer, T., 518
Schasfoort, R. B. M., 368
Schelter, W., 477, 495
Schierbaum, K. D., 93, 103, 171, 345
Schmidt, H.-L., 537, 542, 571
Schneider, B. H., 565
Schoeneberg, U., 58
Schuhmann, W., 537, 571
Schwinghammer, M., 267
Sears, W. M., 62
Seiyama, T., 226
Semancik, S., 97, 293
Sermon, P. A., 116
Sethi, R. S., 550
Shimizu, Y., 108, 125
Shimomura, T., 504
Shinohara, S., 488
Shurmer, H. V., 48, 256
Sidorova, M., 357
Sigal, G., 555
Slamka, R., 62
Sloper, A. N., 589
Spetz, A., 15
Stamm, Ch., 585
Stetter, J. R., 43, 303
Sugama, A., 528
Sumiyoshi, K., 154
Sun Anna, 514
Sundgren, H., 15, 533
Suzuki, H., 528

Tabata, O., 8
Taguchi, T., 8
Takahashi, N., 215
Takahata, K., 226
Takao, Y., 108
Takatini, O., 488
Takei, F., 528
Tanaka, K., 226
Tanghe, S. J., 464
Tarantov, Yu. A., 357, 390
Tarlov, M. J., 293
Tas, H., 446
Theiner, J., 468
Thybaud, L., 485
Torvela, H., 79, 83
Tran, N., 361
Tsubota, S., 222
Tuller, H. L., 199
Turner, R. F. B., 561

Ubeid, M., 460
Uchida, N., 504
Uhe, B., 537
Ujihira, Y., 412
Uno, S., 341
Urban, G., 272, 468, 518

Vadgama, P., 1
Vaihinger, S., 43, 171
van den Berg, A., 335, 395, 425
van den Vlekkert, H. H., 171, 345, 380, 395, 425, 481
van der Schoot, B. H., 416, 546
van Dijk, G. J. A., 491
Veerhoek, J. J., 491
Vlasov, Yu. G., 390
Vogel, A., 408
Voorthuyzen, H., 546
Voorthuyzen, J. A., 350

Wakida, S.-I., 412
Wall, P., 460
Wang, H. Y., 138
Warren, P. C., 326
Watanabe, Y., 249
Wegner, G., 408
Weimar, U., 93
Weiss, P., 585
Weppner, W., 103
Widmer, H. M., 239, 244
Wiemhöfer, H.-D., 188, 571
Williams, D. E., 113
Wing, S., 319
Winquist, F., 15
Wise, K. D., 464
Wlodarski, W. B., 380
Wohlschläger, H., 571
Woias, P., 508
Wu, Q., 183

Yamaguchi, S., 504
Yamane, M., 412
Yamamoto, H., 312
Yamazoe, N., 125, 195
Yasuda, A., 319
Yee, S., 421
Ylasov, Y., 357
Yon Hin, B. F. Y., 550

Zhang, J., 43
Zhang, Y., 25
Zhang Zhihong, 514
Zimmer, G., 25, 58

Subject Index of Volume B1

Additive effects
  Pd, vacancy defects and; model studies of SnO_2-based gas sensors, 97
Additives
  response to NO of thin and thick SnO_2 films containing trivalent, 79
Aerosols
  photoelectric aerosol sensor array as tool for on-line and *in situ* analysis of heavy metal aerosols, 261
Ammonia
  recognition of hydrogen and, by modified gate metallization of suspended-gate FET, 21
Ammonia sensor
  selective, 113
Amperometric microsensor
  integrated, 303
Analysis
  of combustible gases in air with calorimetric gas sensors based on semiconducting $BaTiO_3$ ceramics, 54
Anesthetic agents
  micro-gas sensor for monitoring, 183
Apoenzyme reactor
  amperometric biosensing of Cu(II) ions with immobilized, 499
Ascorbic acid
  electro-oxidation of dopamine, DOPAC and; new type of thin-layer microelectrode for *in vivo* voltammetry, 468
ATP
  alternate determination of, and NADH with single bioluminescence-based fiber-optic sensor, 580
Automatic test system
  integrated semiconductor gas sensors evaluation with, 87

Barium
  semiconducting $BaTiO_3$ ceramics, analysis of combustible gases in air with calorimetric gas sensors based on, 54
Blood
  glucose monitoring in whole, biocompatible enzyme electrode for continuous *in vivo*, 561
Blood electrolyte monitoring
  online, with CHEMFET microcell system, 477
Blood glucose monitoring system
  based on ISFET biosensor and its application to human 75 g oral glucose tolerance test, novel, 488
Biological environments
  integrated sensors in, 453
Bioluminescence
  -based fiber-optic sensor, alternate determination of ATP and NADH with, 580
Biosensing
  amperometric, of Cu(II) ions with immobilized apoenzyme reactor, 499
Biosensor(s)
  adaptation for practical use, 1
  based on piezoelectric crystals, 508
  blood glucose monitoring system based on ISFET, and its application to human 75 g oral glucose tolerance test, novel, 488
  for detection of enzymes immobilized in micro-volume reaction chambers, 555
  disposable oxygen electrodes fabricated by semiconductor techniques and their application to, 528
  fermentation control with, in flow-injection systems; problems and progress, 542
  fish scales as, 533
  multi-analyte microelectronic, 550
  polypyrrole, new possibility for covalent binding of oxidoreductases to electrode surfaces as base for stable, 537
  thermal, performance of, in organic solvents, 523
Biosensor modeling
  ISFET-based, with SPICE, 401
Brain
  honeybee, recording neural activity in, with micromachined Si sensors, 460

Calcium
  Urushi matrix Na, K, Ca and chloride-selective FETs, 412
Capacitive gas sensors
  novel readout technique for, 58
Carbon monoxide
  detection, thin films of supported Au catalysts for, 222
  effect of water vapour on CO response behaviour of Sn dioxide sensors in constant temperature and temperature-pulsed mode of operation, 73
  from emission gases, characterization of combustion process using catalysed Sn oxide gas sensors to detect, 83
  gas detector with shortened detecting cycle, 218
  sensor, planar microelectrochemical, 319
Carrier membranes
  thin-film ion-selective sensors based on neutral, 272

Catalytic filament
sensor array and, for chemical analysis of vapors and mixtures, 43
Catalytic metals
and field-effect devices; useful combination, 15
Catalysts
Au, thin films of supported, for CO detection, 222
Cell activity
detection of, via ISFET devices; modelling and computer simulations, 373
Ceramics
$BaTiO_3$, analysis of combustible gases in air with calorimetric gas sensors based on semiconducting, 54
Chalcogenide membranes
physical and chemical processes in ISFETs with, 390
CHEMFET
microcell system, online blood electrolyte monitoring with, 477
CHEMFET membrane
Langmuir–Blodgett films of phthalocyaninato–polysiloxane polymers as novel type of, 408
Chemical analysis
sensor array and catalytic filament for, of vapors and mixtures, 43
Chemical characterization
of liquid breeder alloys, monitoring system for, 446
Chemical grafting
generalized theory of Ag^+-sensitive electrolyte–insulator–semiconductor FET with silica surface modified by, 380
Chemically actuated electronic switch, 326
Chemical response
of Si nitride surfaces, time-dependence of, 361
Chemical-selective membranes
polyimide-matrix, 281
Chemical sensing
miniaturized total chemical analysis systems; novel concept for, 244
Chemical sensors
in industry, use of, 239
output grating couplers on planar waveguides as integrated optical, 585
Chemosensors
integrated optical input grating couplers as, and immunosensors, 592
Chloride
-selective FETs, Urushi matrix Na, K, Ca and, 412
CMOS technology
humidity-sensitive oscillator fabricated in double poly, 441
Colloid chemistry methods
investigation of pH-sensitive ISFETs with oxide and nitride membranes using, 357
Combustible gases
analysis of, in air with calorimetric gas sensors based on semiconducting $BaTiO_3$ ceramics, 54
Combustion process
characterization of, using catalysed Sn oxide gas sensors to detect CO from emission gases, 83
Computer simulations
detection of cell activity via ISFET devices; modelling and, 373
Copper
amperometric biosensing of Cu(II) ions with immobilized apoenzyme reactor, 499
Covalent binding
of oxidoreductases to electrode surfaces as base for stable biosensors, polypyrrole, new possibility for, 537

Diffusion-reaction model
non-linear, of electrical conduction in semiconductor gas sensors, 166
Dimethylferrocene
leaching of, redox mediator in amperometric enzyme electrodes, 571
Dopamine
electro-oxidation of, DOPAC and ascorbic acid; new type of thin-layer microelectrode for *in vivo* voltammetry, 468
Dynamic behaviour
of ISFET-based sensor–actuator systems, 416

Electrical conduction
in semiconductor gas sensors, non-linear diffusion-reaction model of, 166
Electric double layers
raindrop sensor using, 308
Electrochemical sensors
freon and halogenated hydrocarbon detection with, 68
Electrode(s)
amperometric enzyme, leaching of dimethylferrocene, redox mediator in, 571
biocompatible enzyme, for continuous *in vivo* glucose monitoring in whole blood, 561
disposable oxygen, fabricated by semiconductor techniques and their application to biosensors, 528
microelectronic skin, 491
micro-volume open liquid-junction reference, for pH-ISFETs, 425
for oxygen sensors based on La trifluoride as solid electrolyte, 188
planar IrO multichannel stimulating, for use in neural prostheses, 464
perovskite-type oxide, LaF_3-based oxygen sensor with, operative at room temperature, 195
potassium impregnated ion-selective (KITISE), 267
solid potentiometric pH, 286

Electrode surfaces
covalent binding of oxidoreductases to electrode surfaces as base for stable biosensors, polypyrrole, new possibility for, 537
Electrolyte
La trifluoride as solid, investigations of electrodes for oxygen sensors based on, 188
Electrolyte–insulator–semiconductor FET
with silica surface modified by chemical grafting, generalized theory of Ag^+-sensitive, 380
Electronic nose
basic limitations for, 48
Electronic switch
chemically actuated, 326
Electro-oxidation
of dopamine, DOPAC and ascorbic acid; new type of thin-layer microelectrode for *in vivo* voltammetry, 468
Emission gases
characterization of combustion process using catalysed Sn oxide gas sensors to detect CO from, 83
Enzyme electrode(s)
biocompatible, for continuous *in vivo* glucose monitoring in whole blood, 561
leaching of dimethylferrocene, redox mediator in amperometric, 571
Enzyme sensor(s)
for glucose and lactate, based on chamber oxygen electrodes, microminiature, 565
pH-static, design of pH control system, 546
Enzymes
biosensors for detection of, immobilized in microvolume reaction chambers, 555
Extracorporeal circulation
use of pH-ISFET sensors during, 481

Fermentation control
with biosensors in flow-injection systems; problems and progress, 542
Fiber-optic sensor
bioluminescence-based, alternate determination of ATP and DADH with single, 580
Field-effect devices
catalytic metals and; useful combination, 15
Field-effect transistors (FETs)
Ag^+-sensitive electrolyte–insulator–semiconductor, with silica surface modified by chemical grafting, generalized theory of, 380
glucose sensor with thermophilic enzyme glucokinase, stabilization of, 504
hydrogen-sensitive, experimental studies of lateral transport of hydrogen in thin Pd gates of, 31
suspended-gate, recognition of hydrogen and ammonia by modified gate metallization of, 21
Urushi matrix Na, K, Ca and chloride-selective, 412
Fire detection experiment
in wooden house by SnO_2 semiconductor gas sensors, 226
Fish freshness
trimethylamine sensor based on semiconductive metal oxides for, 108
Fish scales
as biosensors, 533
Flow injection analysis system
for determination of urea, ISFET-based, 433
Flow-injection systems
fermentation control with biosensors in; problems and progress, 542
Freon
and halogenated hydrocarbon detection with electrochemical sensors, 68

Gadolinium
evaluation of $Gd_2(Zr_x Ti_{1-x})_2O_7$ pyrochlore system as oxygen gas sensor, 199
Gases
analysis of combustible, in air with calorimetric gas sensors based on semiconducting $BaTiO_3$ ceramics, 54
study of action of, on polypyrrole film, 130
Gas components
optical sensing technique for *in situ* determination of, at elevated temperature by IR spectroscopy, 215
Gas detector
CO, with shortened detecting cycle, 218
Gas mixture analysis
pattern recognition methods for; application to sensor arrays based upon SnO_2, 93
Gas sensor(s)
analysis of combustible gases in air with calorimetric, based on semiconducting $BaTiO_3$ ceramics, 54
fire detection experiment in wooden house by SnO_2 semiconductor, 226
and humidity, based on organic active thin films, 142
integrated semiconductor, evaluation with automatic test system, 87
micro-, for monitoring anesthetic agents, 183
MOSFET, new method for achieving very high sensitivities of, 25
non-linear diffusion reaction model of electrical conduction in semiconductor, 166
novel readout technique for capacitive, 58
optical; thin films of phthalocyanines studied with spectroscopic ellipsometry, 134
oxygen, evaluation of $Gd_2(Zr_x Ti_{1-x})_2O_7$ pyrochlore system as, 199
prototype structure for systematic investigations of thin-film, 171
restricted flow thermally cycled, 62

role of noble metals in chemistry of solid-state, 158
SnO_2-based, model studies of; vacancy defects and Pd additive effects, 97
Sn oxide, characterization of combustion process using catalysed, to detect CO from emission gases, 83
thick-film hydrocarbon, 231
Gastroesophageal tract
use of ISFETs for 24 h pH monitoring in, 485
Gate metallization
recognition of hydrogen and ammonia by modified, of suspended-gate FET, 21
Glucokinase
stabilization of FET glucose sensor with thermophilic enzyme, 504
Glucose
blood glucose monitoring system based on ISFET biosensor and its application to human 75 g oral glucose tolerance test, novel, 488
microminiature enzyme sensors for, and lactate based on chamber oxygen electrodes, 571
smart sensor for voltammetric measurement of oxygen or, concentrations, 298
Glucose monitoring
in whole blood, biocompatible enzyme electrode for continuous *in vivo*, 561
Glucose sensor(s)
microminiaturized, using covalent immobilization techniques, new, 518
stabilization of FET, with thermophilic enzyme glucokinase, 504
Glucose sensor plate
disposable, and disposable multi-ion sensor plate, 510
Gold catalysts
thin films of supported, for CO detection, 222
Grating couplers
integrated optical input, as chemo- and immunosensors, 592
output, on planar waveguides as integrated optical chemical sensors, 585

Halogen gases
phthalocyanine Langmuir–Blodgett film microsensors for, 138
Heavy metal aerosols
photoelectric aerosol sensor array as tool for on line and *in situ* analysis of, 261
Hemoglobin concentration
micro transmission cell for monitoring of oxygen saturation and, 495
Honeybee brain
recording neural activity in, with micromachined Si sensors, 460
Humidity-sensitive oscillator
fabricated in double poly CMOS technology, 441
Humidity sensors
gas and, based on organic active thin films, 142
Hydrocarbon(s)
freon and halogenated, detection with electrochemical sensors, 68
gas sensors, thick-film, 231
novel structure for detecting organic vapours and, based on Pd-MOS sensor, 35
Hydrogen
experimental studies of lateral transport of, in thin Pd gates of hydrogen-sensitive FETs, 31
recognition of, and ammonia by modified gate metallization of suspended-gate FET, 21
Hydrogen-sensitive FETs
experimental studies of lateral transport of hydrogen in thin Pd gates of, 31
Hydrogen sensor(s)
cordless solid-state, using proton-conductor thick film, 125
with pellicular Zr phosphate as proton conductor, new, 121
Hydrogen sulphide sensors
WO_3-based, mechanism of operation, 116

IC technology
compatible automatic method (SCZ method) for immobilization membranes, 514
Identification capability
of odor sensor using quartz-resonator array and neural-network pattern recognition, 473
Immobilization membranes
IC-technology compatible automatic method (SCZ method) for, 514
Immobilization techniques
new microminiaturized glucose sensors using covalent, 518
ImmunoFET
competitive immunological detection of progesterone by means of ion-step induced response of, 368
Immunological detection
of progesterone, competitive, by means of ion-step induced response of immunoFET, 368
Immunosensor(s)
direct surface plasmon–polariton; preliminary investigation of non-specific adsorption of serum components to sensor interface, 576
integrated optical input grating couplers as chemo- and, 592
planar In phosphate monomode waveguide evanescent field, 589
Indium phosphate
monomode waveguide evanescent field immunosensor, planar, 589
Industry
use of chemical sensors in, 239

Infrared spectroscopy
optical sensing technique for *in situ* determination of gas components at elevated temperatures by, 215
Inorganic gate ISFETs
experimental study of instability in, 421
Input grating couplers
integrated optical, as chemo- and immuno-sensors, 592
Instability
in inorganic gate ISFETs, experimental study, 421
Integrated sensors
in biological environments, 453
Ion-selective electrodes
K impregnated tube (KITISE), 267
Ion-selective membranes
novel spectroscopic method to image H_2O distribution in, 275
Ion-selective sensors
thin-film, based on neutral carrier membranes, 272
Ion-sensitive layer systems
characterization of, with $C(V)$ measurement method operating at constant capacitance, 354
Ion-sensitive membrane(s)
microstructured solid-state, by thermal oxidation of Ta, 345
Pb, for ISFETs, 438
Ion sensor array
multiple, 8
Ion-step induced response
of immunoFET, competitive immunological detection of progesterone by means of, 368
Iridium oxide
planar IrO multichannel stimulating electrode for use in neural protheses, 464
pH sensors, mechanistic and response studies of, 293
Iron
measurement of dissolved silicon in molten, development of zirconia electrolyte sensor with auxiliary electrode for *in situ*, 203
ISFET(s)
backside contact, with silicon–insulator–silicon structure, 341
-based biosensor modeling with SPICE, 401
-based flow injection analysis system for determination of urea, 433
-based sensor–actuator systems, dynamic behaviour of, 416
biosensor, blood glucose monitoring system based, and its application to human 75 g oral glucose tolerance test, novel, 488
instability in inorganic gate, experimental study, 421
Pb ion-sensitive membrane for, 438
pH-
micro-volume open liquid-junction reference electrode for, 425
multi-ion sensing system based on glass-encapsulated, and pseudo-REFET, 395
sensors during extracorporeal circulation, use of, 481
pH monitoring in gastrooesophageal tract, use of, for 24 h, 485
pH-sensitive, with oxide and nitride membranes using colloid chemistry methods, investigation of, 357
physical and chemical processes in, with chalcogenide membranes, 390
sensitive membranes, new, 385
technology for backside contacted pH-sensitive, embedded in p-well structure, 335
ISFET devices
detection of cell activity via; modelling and computer simulations, 373

KITISE
potassium impregnated ion-selective electrodes, 267

Lactate
microminiature enzyme sensors for glucose and, based on chamber oxygen electrodes, 571
Langmuir–Blodgett film(s)
phthalocyanine, microsensors for halogen gases, 138
of phthalocyaninato–polysiloxane polymers as novel type of CHEMFET membrane, 408
Lanthanum trifluoride
-based oxygen sensor with perovskite-type oxide electrode operative at room temperature, 195
as solid electrolyte, investigations of electrodes for oxygen sensors based on, 188
Lead
fast NO_2 detection at room temperature with optimized Pb phthalocyanine thin-film structures, 148
Lead ion-sensitive membrane
for ISFETs, 438
Limiting current
type of oxygen sensor with high performance, 312
Liquid breeder alloys
monitoring system for chemical characterization of, 446
Liquid chromatograph
design of open-tubular column, using silicon chip technology, 249

Measurement method $C(V)$
characterization of ion-sensitive layer systems with, operating at constant capacitance, 354
Mechanistic and response studies
of Ir oxide pH sensors, 293

Metal oxides
trimethylamine sensor based on semiconductive, for detection of fish freshness, 108
Metal porphine
optical detection of NO by, dispersed in amorphous silica matrix, 154
Microelectrochemical sensor
planar, CO, 319
Microelectrode
for *in vivo* voltammetry, new type of thin-layer; electro-oxidation of dopamine, DOPAC and ascorbic acid, 468.
Microelectronic biosensors
multi-analyte, 550
Microelectronic skin electrode, 491
Micro-gas sensor
for monitoring anesthetic agents, 183
Microsensor(s)
integrated amperometric, 303
phthalocyanine Langmuir–Blodgett film, for halogen gases, 138
Monitoring system
for chemical characterization of liquid breeder alloys, 446
MOSFET
gas sensors, new method for achieving very high sensitivities of, 25
MOS sensor
Pd-, novel structure for detecting organic vapours and hydrocarbons based on, 35
Multi-ion sensing system
based on glass-encapsulated pH-ISFETs and pseudo-REFET, 395
Multi-ion sensor plate
disposable, and disposable glucose sensor plate, 510
Multiple ion sensor array, 8

NADH
alternate determination of ATP and, with single bioluminescence-based fiber-optic sensor, 580
Neural activity
in honeybee brain, recording, with micromachined Si sensors, 460
Neural-network pattern recognition
identification capability of odor sensor using quartz-resonator array and, 473
Neural prostheses
planar IrO multichannel stimulating electrode for use in, 464
Nitric oxide
response to, of thin and thick SnO_2 films containing trivalent additives, 79
Nitrogen dioxide
fast NO_2 detection at room temperature with optimized Pb phthalocyanine thin-film structures, 148
Nitrogen monoxide
optical detection of, by metal porphine dispersed in amorphous silica matrix, 154
Noble metals
role of, in chemistry of solid-state gas sensors, 158

Odor sensor
identification capability of, using quartz-resonator array and neural-network pattern recognition, 473
Optical chemical sensors
output grating couplers on planar waveguides as integrated, 585
Optical detection
of NO by metal porphine dispersed in amorphous silica matrix, 154
Optical gas sensor
thin films of phthalocyanines studied with spectroscopic ellipsometry, 134
Optical sensing technique
for *in situ* determination of gas components at elevated temperature by IR spectroscopy, 215
Organic active thin films
gas and humidity sensors based on, 142
Organic solvents
performance of thermal biosensor in, 523
Organic vapours
novel structure for detecting, and hydrocarbons based on Pd-MOS sensor, 35
Oscillator
humidity-sensitive, fabricated in double poly CMOS technology, 441
Output grating couplers
on planar waveguides as integrated optical chemical sensors, 585
Oxide and nitride membranes
investigation of pH-sensitive ISFETs with, using colloid chemistry methods, 357
Oxidoreductases
polypyrrole, new possibility for covalent binding of, to electrode surfaces as base for stable biosensors, 537
Oxygen
some aspects of interaction of, with polycrystalline SnO_x thin films, 176
smart sensor for voltammetric measurement of, or glucose concentrations, 298
Oxygen electrodes
disposable, fabricated by semiconductor techniques and their application to biosensors, 528
microminiature enzyme sensors for glucose and lactate based on chamber, 565
Oxygen gas sensor
evaluation of $Gd_2(Zr_xTi_{1-x})_2O_7$ pyrochlore system as, 199
Oxygen microconcentrations
semiconductor method of determining, in different gases, 210

Oxygen saturation
micro transmission cell for monitoring of, and hemoglobin concentration, 495
Oxygen sensor(s)
electrodes for, based on La trifluoride as solid electrolyte, investigations of, 188
LaF_3-based, with perovskite-type oxide electrode operative at room temperature, 195
limiting current type of, with high performance, 312
TiO_2, low and high temperature, 103

Palladium
additive effects, vacancy defects and; model studies of SnO_2-based gas sensors, 97
gates of hydrogen-sensitive FETs, experimental studies of lateral transport of hydrogen in thin, 31
-MOS sensor, novel structure for detecting organic vapours and hydrocarbons based on, 35
Pattern recognition methods
for gas mixture analysis; application to sensor arrays based upon SnO_2, 93
Perovkite-type oxide
electrode, LaF_3-based oxygen sensor with, operative at room temperature, 15
pH electrode
solid potentiometric, 286
pH-ISFET(s)
micro-volume open liquid-junction reference electrode for, 425
multi-ion sensing system based on glass-encapsulated, and pseudo-REFET, 395
sensors, use of, during extracorporeal circulation, 481
pH monitoring
use of ISFETs for 24 h, in gastroosophageal tract, 485
pH-sensitive ISFET(s)
embedded in p-well structure, technology for backside contacted, 335
with oxide and nitride membranes using colloid chemistry methods, investigation of, 357
pH sensors
Ir oxide, mechanistic and response studies of, 293
pH-static enzyme sensor
design of pH control system, 546
Photoelectric aerosol sensor array
as tool for on line and *in situ* analysis of heavy metal aerosols, 261
Photoelectric effects
in Ta_2O_5–SiO_2–Si structures, 350
Phthalocyanine(s)
fast NO_2 detection at room temperature with optimized Pb, thin-film structures, 148
Langmuir–Blodgett film microsensors for halogen gases, 138
thin films of, studied with spectroscopic ellipsometry; optical gas sensor, 134
Phthalocyaninato–polysiloxane polymers
Langmuir–Blodgett films of, as novel type of CHEMFET membrane, 408
Piezoelectric crystals
biosensors based on, 508
Plasmon–polariton immunosensor
direct surface; preliminary investigation of non-specific adsorption of serum components to sensor interface, 576
Polyiimide-matrix
chemical-selective membranes, 281
Polypyrrole film
study of action of gases on, 130
Polypyrrole
covalent binding of oxidoreductases to electrode surfaces as base for stable biosensors, new possibility for, 537
Potassium
impregnated tube ion-selective electrodes (KITISE), 267
Urushi matrix Na, K, Ca and chloride-selective FETs, 412
Progesterone
competitive immunological detection of, by means of ion-step induced response of immunoFET, 368
Proton conductor
new hydrogen sensor with pellicular Zr phosphate as, 121
thick film, cordless solid-state hydrogen sensor using, 125
Prototype structure
for systematic investigations of thin-film gas sensors, 171
Pyrochlore
evaluation of $Gd_2(Zr_nTi_{1-x})_2O_7$, system as oxygen gas sensor, 199

Quartz-resonator array
identification capability of odor sensor using, and neural-network pattern recognition, 473

Raindrop sensor
using electric double layers, 308
Reaction chambers
biosensors for detection of enzymes immobilized in microvolume, 555
Readout technique
for capacitive gas sensors, novel, 58
Redox mediator
leaching of dimethylferrocene, in amperometric enzyme electrodes, 571
Reference electrode
for pH-ISFETs, micro-volume open liquid junction, 425

REFET
pseudo-, multi-ion sensing system based on glass-encapsulated pH-ISFETs and, 395

SCZ method
IC-technology compatible automatic method for immobilization membranes, 514
Semiconductor gas sensors
fire detection experiment in wooden house by SnO_2, 226
Semiconductor method
of determining oxygen microconcentrations in different gases, 210
Semiconductor techniques
disposable oxygen electrodes fabricated by, and their application to biosensors, 528
Sensitive membranes
new ISFET, 385
Sensitivities
of MOSFET gas sensors, new method for achieving very high, 25
Sensor–actuator systems
dynamic behaviour of ISFET-based, 416
Sensor array(s)
and catalytic filament for chemical analysis of vapors and mixtures, 43
composite 12-element, intelligent vapour discrimination using, 256
pattern recognition methods for gas mixture analysis; application to, based upon SnO_2, 93
photoelectric aerosol, as tool for on line and *in situ* analysis of heavy metal aerosols, 261
Sensor interface
non-specific adsorption of serum components to, preliminary investigation of; direct surface plasmon–polariton immunosensor, 576
Sensor plate
disposable glucose, and disposable multi-ion, 510
Serum components
non-specific adsorption of, to sensor interface; direct surface plasmon–polariton immunosensor; preliminary investigation of, 576
Silica matrix
optical detection of NO by metal porphine dispersed in amorphous, 154
Silicon
development of zirconia electrolyte sensor with auxiliary electrode for *in situ* measurement of dissolved, in molten Fe, 203
photoelectric effects in Ta_2O_5–SiO_2–Si structures, 350
recording neural activity in honeybee brain with micromachined Si sensors, 460
Silicon chip technology
design of open-tubular column liquid chromatograph using, 249
Silicon–insulator–silicon structure
backside contact ISFET with, 341
Silicon nitride surfaces
time-dependence of chemical response of, 361
Silver
generalized theory of Ag^+-sensitive electrolyte–insulator–semiconductor FET with silica surface modified by chemical grafting, 380
Skin electrode
microelectronic, 491
Smart sensor
for voltammetric measurement of oxygen or glucose concentrations, 298
Sodium
Urushi matrix Na, K, Ca and chloride-sensitive FETs, 412
Spectroscopic ellipsometry
thin films of phthalocyanines studies with; optical gas sensor, 134
Spectroscopic method
to image H_2O distribution in ion-selective membranes, novel, 275
Stabilization
of FET glucose sensor with thermophilic enzyme glucokinase, 504
Suspended-gate FET
recognition of hydrogen and ammonia by modified gate metallization of, 21

Tantalum
microstructured solid-state ion-sensitive membranes by thermal oxidation of, 345
photoelectric effects in Ta_2O_5–SiO_2–Si structures, 350
Thermal biosensor
performance of, in organic solvents, 523
Thermal oxidation
microstructured solid-state ion-sensitive membranes by, of Ta, 345
Thermally cycled gas sensor
restricted flow, 62
Time-dependence
of chemical response of Si nitride surfaces, 361
Tin dioxide
-based gas sensors, model studies of; vacancy defects and Pd additive effects, 97
pattern recognition methods for gas mixture analysis; application to sensor arrays based upon, 93
semiconductor gas sensors, fire detection experiment in wooden house by, 226
Tin dioxide films
response to NO of thin and thick, containing trivalent additives, 79
Tin dioxide sensors
effect of water vapour on Co response behaviour of, in constant temperature and temperature-pulsed mode of operation, 73
Tin oxide
some aspects of interaction of oxygen with

polycrystalline SnO_x thin films, 176
gas sensors, characterization of combustion process using catalysed, to detect CO from emission gases, 83
Titanium
evaluation of $Gd_2(Zr_xTi_{1-x})_2O_7$ pyrochlore system as oxygen gas sensor, 199
semiconducting $BaTiO_3$ ceramics, analysis of combustible gases in air with calorimetric gas sensors based on, 54
TiO_2 oxygen sensors, low and high temperature, 103
Total chemical analysis systems
miniaturized; novel concept for chemical sensing, 244
Transmission cell
micro, for monitoring of oxygen saturation and hemoglobin concentration, 495
Trimethylamine sensor
based on semiconductive metal oxides for detection of fish freshness, 108
Tungsten
mechanism of operation of WO_3-based H_2S sensors, 116

Urea
ISFET-based flow injection analysis system for determination of, 433
Urushi matrix
Na, K, Ca and chloride-selective FETs, 412

Vacancy defects
and Pd additive effects; model studies of SnO_2-based gas sensors, 97
Vapour discrimination
intelligent, using composite 12-element sensor array, 256
Vapors
sensor array and catalytic filament for chemical analysis of, and mixtures, 43
Voltammetric measurement
of oxygen or glucose concentrations, smart sensor for, 298
Voltammetry
microelectrode for *in vivo*, new type of thin-layer; electro-oxidation of dopamine, DOPAC and ascorbic acid, 468

Water distribution
novel spectroscopic method to image, in ion-selective membranes, 275
Water vapour
effect of, on CO response behaviour of tin dioxide sensors in constant temperature and temperature-pulsed modes of operation, 73

Zirconium
evaluation of $Gd_2(Zr_xTi_{1-x})_2O_7$ pyrochlore system as oxygen gas sensor, 199
new hydrogen sensor with pellicular Zr phosphate as proton conductor, 121
Zirconia electrolyte sensor
with auxiliary electrode for *in situ* measurement of dissolved silicon in molten Fe, development of, 203